



Amazing Animals Fact sheets

Lizards

There are over 3000 lizard species distributed throughout the world, and because they are reptiles the majority are found in warmer climates. They range in sizes from 6cm up to 3m long! Lizards have scaly skin that is shed throughout the year, often in irregular patches. Some members of the lizard family are carnivorous (meat only), however there are others that are herbivorous (plants only) or omnivorous (plants and meat).

After three months the eggs hatch, the young will live in trees and eat insects that they catch themselves.

Australia Zoo Green Iguana profiles



Green Iguana

These amazing reptiles have a long tail, eyelids, and four sprawling legs. Common Green Iguanas vary in colour from green to brown with faint black bands around their body and tail. They usually weigh anywhere between 4.5 to 7 kilograms, but have been known to weigh up to 18 kilograms. Green Iguanas have a serrated crest along their back and lots of loose skin hanging from their chin which is called a dewlap. Males have large scales underneath their ears. They have extremely powerful legs which they use to swim with and climb trees.

Jub Jub

This is definitely a handsome prince of our adult green iguanas, Jub Jub's brilliant colours certainly makes him stand out amongst the rest... He is a loveable boy but can be quite a handful when the mood strikes him.

Visit us: www.australiazoo.com/our-animals/amazing-animals

Habitat

Green Iguanas live in rainforests, usually near river banks. They can be found in Central and South America, some Pacific Islands and an introduced population exist in Florida Keys in the USA.

Diet

Green Iguanas are primarily herbivores (plant eaters). They enjoy eating leaves, flowers, and fruit. They are also known however, to supplement their diet with insects and other small animals. Some meat is essential to their diet to prevent osteoporosis.

Breeding

During breeding season a female will dig a shallow trench in the moist soil near a riverbank where she will lay thirty to forty eggs. After covering the eggs with soil, she takes no more part in the parental up bringing of the young.