



# Amazing Animals Fact sheets

## Venomous Snakes

It is really difficult to differentiate between venomous and non-venomous snakes. Many non-venomous snakes look venomous to protect themselves. There are also snake types whose teeth are placed like the teeth of non-venomous snakes although their bites can be dangerous. Out of the 2800 kind of snakes, only 270 types are venomous.

### Red-bellied Black Snake

The venomous Red-Bellied Black Snake grows to lengths of up to two metres long, and has striking colouration. With stunning red edges to its belly scales and a shiny black back, this snake surely ranks amongst Australia's most stunning venomous snakes. The Red-Bellied Black snake is most active during the day, although they may also be seen on hotter evenings.

#### Habitat

The Red-Bellied Black Snake can be found inhabiting most forest types near permanent watercourses or swamps in eastern and south-east Australia.

#### Diet

The Red-Bellied Black Snake's diet consists of frogs, other reptiles and mammals. Usually seen around cool, wet areas the Red-Bellied Black Snake is particularly fond of frogs, making the Cane Toad a big problem. If they even bite a Cane Toad its all over. It's hard to believe that this beautiful snake could suffer so badly as the result of the introduction of one alien species.

#### Breeding

Mating occurs in spring with combat between rival males occurring in this period. During combat, the snakes bodies are intertwined with their heads raised. They do this in attempt to place their head higher than that of their opponent. When pregnant, female Red-Bellied Black snakes are known to aggregate and bask in the sun together. January to March is when between five and forty young are born in membranous sacs from which they emerge from shortly after birth.

Visit us: [www.australiazoo.com/our-animals/amazing-animals](http://www.australiazoo.com/our-animals/amazing-animals)